

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAY 08 1997

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAY 16 1997

The applicant B.C.B. Ventures, hereby makes application for permission to change the Point of Diversion and Place of Use of water heretofore appropriated under Permit 51401

1. The source of water is Underground
2. The amount of water to be changed 1.04 cfs, not to exceed 139 acre-feet
3. The water to be used for Irrigation and Domestic
4. The water heretofore permitted for Irrigation and Domestic
5. The water is to be diverted at the following point SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 31, T.17N., R.22E., MDB&M, or at a point from which the SW corner of said Section 31 bears South 66° 32' West, a distance of 2,596 feet
6. The existing permitted point of diversion is located within SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 31, T.17N., R.22E., MDB&M, or at a point from which the SW corner of said Section 31 bears South 44° 27' 16" West, a distance of 1,561 feet.
7. Proposed place of use SE $\frac{1}{4}$ SW $\frac{1}{4}$ and portion SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 31, T.17N., R.22E., MDB&M (34.75 acres)
8. Existing place of use Portions SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 31, T.17N., R.22E., MDB&M, and NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 6, T.16N., R.22E., MDB&M (34.75)
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled well, pump, distribution pipeline and sprinkler irrigation system
12. Estimated cost of works \$25,000
13. Estimated time required to construct works 1 year
14. Estimated time required to complete the application of water to beneficial use 2 years
15. Remarks: Application 62410 to also change a portion of Permit 51401 is ready for action. If a permit is issued under 62410, the diversion rate and duty for a permit issued under this application will be reduced accordingly.

By s/Brian A. Randall
Brian A. Randall,
Resource Concepts Inc.
340 N. Minnesota Street
Carson City, Nevada 89703

Compared my/cms dl/cmf

Protested _____

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.965 cubic feet per second, but not to exceed 129.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 15, 2000

Proof of completion of work shall be filed before:

June 15, 2000

Water must be placed to beneficial use on or before:

May 15, 2001

Proof of the application of water to beneficial use shall be filed on or before:

June 15, 2001

Map in support of proof of beneficial use shall be filed on or before:


June 15, 2001

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 3rd day of, December A.D. 1999



State Engineer

by Christine Thiel, P. E., Deputy State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

Abrogated By: 68708